

45 Higgins Avenue Winnipeg, MB R3B 0A8 Tel: 204.339.6456 Fax: 204.334.1800 www.duxtonwindows.com

## Thermal Performance

SERIES 300 - Tilt + Turn

|   |                 |                |       | Centre-of-Glass |             |              |     | Overall Window        |                     |              |                  | Energy Star      |                           |
|---|-----------------|----------------|-------|-----------------|-------------|--------------|-----|-----------------------|---------------------|--------------|------------------|------------------|---------------------------|
| Glass type  | Application     | LoĒ<br>Surface | Gas   | R-<br>Value     | U-<br>Value | Heat<br>Gain |     | U-Value<br>(imperial) | U-Value<br>(metric) | Heat<br>Gain | Visible<br>Light | Energy<br>Rating | Energy Star<br>Efficiency |
| Dual Pane   |                 |                |       |                 |             |              |     |                       |                     |              |                  |                  |                           |
| Cardinal LoĒ-180                                      | High Solar Gain | 3              | Argon | 3.85            | 0.26        | 0.68         | 79% | 0.27                  | 1.53                | 0.47         | 54%              | 34               | •                         |
| Cardinal LoĒ-272                                      | Mid-Range       | 2              | Argon | 4.00            | 0.25        | 0.41         | 72% | 0.26                  | 1.48                | 0.29         | 49%              | -                | 0                         |
| Cardinal LoĒ-366                                      | Low Solar Gain  | 2              | Argon | 4.17            | 0.24        | 0.27         | 65% | 0.26                  | 1.48                | 0.19         | 44%              | -                | 0                         |
|   |                 |                |       |                 |             |              |     |                       |                     |              |                  |                  |                           |
| Triple Pane - 1 LoĒ Coating - High Performance        |                 |                |       |                 |             |              |     |                       |                     |              |                  |                  |                           |
| Cardinal LoĒ-180                                      | High Solar Gain | 5              | Argon | 5.56            | 0.18        | 0.61         | 73% | 0.22                  | 1.25                | 0.42         | 49%              | 37               | •                         |
| Cardinal LoĒ-272                                      | Mid-Range       | 2              | Argon | 5.26            | 0.19        | 0.38         | 66% | 0.22                  | 1.25                | 0.26         | 45%              | -                | 0                         |
| Cardinal LoĒ-366                                      | Low Solar Gain  | 2              | Argon | 5.56            | 0.18        | 0.25         | 59% | 0.21                  | 1.19                | 0.18         | 40%              | 24               | •                         |
|   |                 |                |       |                 |             |              |     |                       |                     |              |                  |                  |                           |
| Triple Pane - 2 LoĒ Coatings - Ultra High Performance |                 |                |       |                 |             |              |     |                       |                     |              |                  |                  |                           |
| Cardinal LoĒ-180 and 180                              | High Solar Gain | 2 and 5        | Argon | 7.69            | 0.13        | 0.56         | 70% | 0.18                  | 1.02                | 0.39         | 47%              | 40               | ••                        |
| Cardinal LoĒ-272 and 180                              | Mid-Range       | 2 and 5        | Argon | 7.69            | 0.13        | 0.37         | 63% | 0.18                  | 1.02                | 0.26         | 43%              | 32               | ••                        |
| Cardinal LoĒ-272 and 272                              | Mid-Range       | 2 and 5        | Argon | 7.69            | 0.13        | 0.35         | 58% | 0.18                  | 1.02                | 0.24         | 39%              | 32               | ••                        |
| Cardinal LoĒ-366 and 180                              | Low Solar Gain  | 2 and 5        | Argon | 7.69            | 0.13        | 0.24         | 57% | 0.18                  | 1.02                | 0.17         | 39%              | 27               | ••                        |
| Cardinal LoĒ-366 and 366                              | Low Solar Gain  | 2 and 5        | Argon | 8.33            | 0.12        | 0.24         | 47% | 0.17                  | 0.97                | 0.17         | 32%              | 28               | ••                        |
|   |                 |                |       |                 |             |              |     |                       |                     |              |                  |                  |                           |

Performance Values are calcuated by certified, 3rd party test labs. Information is gleaned from best available industry sources. The reader is cautioned that test results should be used for comparison purposes only. Results are size and installation dependent. In-service performance can be significantly different from those shown. Product tested indicates design potential. Model size was 1200 mm x 1500 mm.



45 Higgins Avenue Winnipeg, MB R3B 0A8 Tel: 204.339.6456 Fax: 204.334.1800 www.duxtonwindows.com

## Thermal Performance SERIES 300 - Tilt + Turn

## <u>Notes</u>

(1) 2-Pane Cardinal IG unit calculations based on 2 lites of 1/8" (3 mm) glass and 1/2" (13 mm) airspace.

(2) 3-Pane Cardinal IG unit calculations based on 3 lites of 1/8" (3 mm) glass and two 1/2" (13 mm) airspaces.

(3) Calculations for argon filled unit made with 90% Argon/ 10% air.

(4) NFRC Environmental Conditions used for all values.

- (5) Cardinal Endur warm edge stainless steel spacer used for all values.
- (6) Chart indicating Energy Star Canada efficiency designation:
  - ENERGY STAR Most Efficient 2023
  - ENERGY STAR
  - Not Applicable

Values updated August 2023.